



TECHNICAL SPECIFICATIONS March 2025



CONTENTS

MAILING ADDRESS & PHONE NUMBER

•	Contacts	Page	3
•	Seating Chart	Page	4
•	Stage Information	Page	5
•	Line Set Schedule	Page	8
•	Loading Dock	Page	9
•	Orchestra Pit		
•	Dressing Rooms	Page	11
•	Green Room	Page	12
•	Wardrobe Room	Page	13
•	Catering Room	Page	14
•	Lighting Information	Page	15
•	Audio Information	Page	18
•	IMAG Projection System	Page	20
•	Stage level Drawing	Page	21
•	Basement Level Drawing	Page	22
•	Special Effects	Page	23
•	Truck and Bus Parking	Page	24
•	Map		
•	Directions	Page	26
•	Remarks	_	

DPAC

123 Vivian St / William V. Bill Bell Way Durham, NC 27701

(919) 688-3722

For mail and deliveries please put show or event name as well as recipient name.



VENUE CONTACTS

PRODUCTION

Josh Anderson - Senior Director of Facilities Management & Production

Cell: 706.615.2425

Email: janderson@dpacnc.com

SETTLEMENT & MERCHANDISE

Samantha Yancey - Senior Director of Events & Business Operations

Office: 919.281.0820

Email: syancey@dpacnc.com

FRONT OF HOUSE & VIP ACTIVITIES

Claire Myers - Director of Audience & Event Services

Office: 919.281-0591

Email: camyers@dpacnc.com

SECURITY

Natalie Carter - Director of Safety & Security

Office: 919.810-0592

Email: ncarter@dpacnc.com

PRODUCTION DEPARTMENT HEADS

Les Wells - Head Carpenter Dave Stephens - Head Audio

Email: lwells@dpacnc.com Email: dstephens@dpacnc.com

Zachary Alexander - Head Electrician Karen McClanahan - Head Wardrobe Virginia Grout - Head Props Email: zalexander@dpacnc.com Email: kmcclanahan@dpacnc.com Email: vgrout@dpacnc.com

DPAC presented by First Horizon | GREAT SHOWS, GOOD TIMES.

Brian Hunt - Production Manager

BOX OFFICE

BOOKING

Brad Saks - Director of Programming

Peter Wallace - Director of Ticketing

Email: bhunt@dpacnc.com

Email: pwallace@dpacnc.com

Cell: 919.332.3677


Office: 919.281.0813

Office: 919.688.1842

Email: bsaks@dpacnc.com




SEATING CAPACITY





STAGE INFORMATION AND MEASUREMENTS



70'0" Grid Height:

Counterweight Rigging:

Single Purchase System:

of Line Sets: 80 6" Centers:

Arbor Capacity: 2,000lbs.

Batten Length: 66' Travel Distance: 69'

Amount of weight: 40,000lbs

Proscenium Opening: 49'11" W

30' 5" H

Stage:

Plaster Line to back wall: 49' 8" Width 114′ 3″

C/L to SR Locking Rail: 60' 3"

C/L to SL Wall: 54' 0"

Apron:

Plaster Line to Down Stage edge: 5'6"




PROSCENIUM GRID



There is a Proscenium Grid downstage of the Proscenium Wall, it is a C-channel Grid 46' above the deck and extends 8' downstage of the opening. The house PA and Apron Lighting Truss hang from the position with ample room to accommodate additional PA and truss as necessary.



SOFT GOODS



Main Curtain	1	2 panels 30'W x 30' H
Valence	1	60' W x 10' H
Legs	6 pairs	10' W x 30' H
Borders	6	66' W x 10' H
Full Stage Blacks	2	2 panels 30' W x 30' H
White & Black Scrim	1 of each	60' W x 30' H
Cyclorama	1	60' W x 30' H



LINE SET SCHEDULE

Line sets 0, 18, 37, 56 & 75 Cannot be kicked downstage


<u>#</u>	<u>Distance</u>	
0	8"	Valence
1	1′ 2″	
2	1′ 8″	Main Curtain
3	2′ 2″	
4	2′ 8″	
5	3′ 2″	
6	3′ 8″	
7	4′ 2″	
8	4′ 8″	
9	5′ 2″	
10	5′ 8″	
11	6′ 2″	
12	6′ 8″	
13	7′ 2″	
14	7′ 8″	
15	8′ 2″	
16	8′ 8″	
17	9′ 2″	
18	10′ 2″	
19	10′ 8″	
20	11′ 2″	
21	11′ 8″	
22	12′ 2″	
23	12′ 8″	
24	13′ 2″	
25	13′ 8″	
26	14′ 2″	

<u>#</u>	<u>Distance</u>	
27	14′ 8″	
28	15′ 2″	
29	15′ 8″	
30	16′ 2″	
31	16′ 8″	
32	17′ 2″	
33	17′ 8″	
34	18′ 2″	
35	18′ 8″	
36	19′ 2″	
37	20′ 2″	
38	20′ 8″	
39	21′ 2″	
40	21′ 8″	
41	22′ 2″	
42	22′ 8″	
43	23′ 2″	
44	23′ 8″	
45	24′ 2″	
46	24′ 8″	
47	25′ 2″	
48	25′ 8″	
49	26′ 2″	
50	26′ 8″	
51	27′ 2″	
52	27′ 8″	

<u>#</u>	<u>Distance</u>	
53	28′ 2″	
54	28′ 8″	
55	29′ 2″	
56	30′ 2″	
57	30′ 8″	
58	31′ 2″	
59	31′ 8″	
60	32′ 2″	
61	32′ 8″	
62	33′ 2″	
63	33′ 8″	
64	34′ 2″	
65	34′ 8″	
66	35′ 2″	
67	35′ 8″	
68	36′ 2″	
69	36′ 8″	
70	37′ 2″	
71	37′ 8″	
72	38′ 2″	
73	38′ 8″	
74	39′ 2″	
75	39′ 8″	
76	45′ 7″	
77	46′ 3″	
78	46′ 11″	
79	47′ 7″	



LOADING



Two (2) roll up doors 10'x10' lead from loading dock, across backstage hallway, through two (2) more 10'x10' roll up doors onto the up-right portion of the stage. <u>Total distance from truck to stage is approximately 25'.</u>

Loading dock can accommodate three (3) 53' trailers at a time. There is one dock plate leveler in the center position.

DPAC owns two portable dock plates, allowing for three trucks to be unloaded at once.



ORCHESTRA PIT



Serapid Chain Link Lift

8'6" deep at center x 46' wide. Measurement:

Space below may be used for case/rack storage or

additional musicians.

Pit can rise to stage level and extend the stage.

Orchestra Equipment:


Forty-five (45) Manhassett Music Stands

Sixty (60) Music Stand Lights

Forty (40) Musicians' Chairs

Two (2) Large Desk Music Stands

Two (2) Conductor's Podiums





DRESSING ROOMS



<u>Star Dressing Rooms (4):</u> (10' x 11') Located stage left, stage level. Complete with mirrors, lights, toilet, sink, shower, two (2) chairs, love seat, coffee table and small refrigerator. Each star dressing room accommodates two (2) performers.

<u>Principal Rooms (3)</u>: (13' x 20') Located down stairs on level beneath the stage. Accommodates 6 performers and come equipped with a toilet, shower, sink, mirrors and chairs.

<u>Chorus Rooms(4)</u>: (18' x 25') Located down stairs on level beneath the stage. These rooms' capacity varies in range from 12 to 15 performers. Each room contains two (2) showers, two (2) toilets, two (2) sinks, mirrors and chairs.





GREEN ROOM





Located stage left, stage level.

This room comes equipped with two (2) refrigerators, coffee maker, Keurig, hot water kettle, microwave, sink, two (2) couches, two (2) end chairs, coffee table, two (2) end tables, two (2) work tables and two (2) office chairs.

One Star Dressing Room has a door into the Green Room to allow for an Artist Suite.



WARDROBE ROOM



Located downstairs, beneath the stage.

Equipped with:

Three (3) Washers

Three (3) Dryers.

Three (3) Ironing Boards


Three (3) Irons

Two (2) Steamers

One (1) Panda Spin Dryer



CATERING



If a show utilizes tour catering or any type of mobile kitchen catering service, the following rules apply:

- Cooking may occur in a truck lane in the loading dock.
- Dining room is located one level under the stage. Freight elevator located down stage right serves as access.
- Washing of dishes is done via three bay sink, with hot and cold water, located in the dining room.



LIGHTING POWER



2400 Amps 3-Phase service located downstage right.

One (1) - 600 amp tie in

Four (4) - 400 Amp tie ins

Two (2) - 200 Amp tie ins

Two (2) - 100 Amp tie ins

One (1) – 100 Amp disconnect that accepts tails



LIGHTING SYSTEM

Circuiting and Dimming:

All show dimmers are ETC Sensor 3

Ninety-six (96) circuits located Front of House:

Twenty-four (24) on the Mezzanine Rail

Twenty-four (24) on overhead catwalk

Twelve (12) each in a near and far box boom position on either side of the house.

Ninety-six (96) circuits located over stage, 48 fed from either side.

Equipment:

Control Boards: GrandMA 3 Full Size

Spot Lights: Four (4) – Lycian 1295 3000w

Moving Light & LED Fixtures

Twelve (12) - Chauvet Maverick MK3 Profiles

Twelve (12) - Chauvet Pro Rogue R3X Washes

Eight (8) - Chauvet Pro Rogue R2X Washes

Eight (8) - Chauvet Pro Rogue R2X Spots

Four (4) - Atomic 3000 LED Strobes

Twenty (20) - Chauvet COLORado 2-Quad Zoom LED Pars

Seven (7) - Chroma Q Colorforce 2 72" LED Strip

Six (6) - Chauvet Strike 4 Blinders

Conventional Lighting Fixtures—FOH Positions


HR and HL Near Cove: Twelve (12) ETC SourceFour units with 19° barrels per HR and HL Far Cove: Twelve (12) ETC SourceFour units with 19° barrels per

Catwalk: Twelve (12) ETC SourceFour units with 10° barrels

Please contact DPAC Production for more information regarding additional conventional fixture inventory.



MOVING LIGHT REP PLOT





AUDIO SYSTEM



PA:

Flown Center, Left and Right Arrays along with two Flown Cardioid Sub Arrays made up of the following:

Center Cluster – Twelve (12) Meyer Leopards

Left/Right – Ten (10) Meyer LYON & Four (4) Meyer Leopards per side

Subs – Five (5) Meyer 1100LFC per side

Front Fills – Six (6) Meyer MINA along front edge of stage

<u>Under Balcony Delays</u> – Eighteen (18) Meyer M1D

Balcony Box fills - Two (2) Meyer UPA

Out Fills - Two (2) Meyer Ultra X40

System Control – 3 Meyer Galaxy 816 controlled wirelessly

Console:

Yamaha Rivage PM7 with RPIO622: 64 Analog Inputs, 16 Analog Outputs

Intercom:

4 Channel ClearCom Wired System with Eight (8) Beltpacks and Headsets FreeSpeak Wireless System with Five (5) Beltpacks and Headsets

Please contact DPAC Production for information regarding available microphone and monitor inventory.



DPAC PA with Broadway Audio Tower



AUDIO INFRASTRUCTURE AND POWER



Snake Runs:

Cable pass access to FOH mix position is available both downstage left and right, down to the orchestra pit, and up to the FOH mix position via two 12" diameter tubes that run in a straight pull.

All show snake runs must run through cable passes!!!!

Mix Position:

Located rear center Orchestra. Mix position is 23' 3" wide x 10' 1" deep

Sound Power:

One (1) – 200 amp isolated 3 phase disconnect located downstage left. Accepts tails or cams.



IMAG PROJECTION SYSTEM




DPAC has an image magnification system that is available for use at a variable charge dependent upon amount of cameras used to provide IMAG. The system consists of:

- Two (2) Panasonic PT-RCQ10 10,000 Lumen Laser Projectors
- Two (2) DaLite Retractable 16' x 9' Front Projection Screens hung either side of the proscenium
- One (1) BlackMagic Designs ATEM Switcher
- One (1) AJA KUMO 1616 Compact 16x16 3G-SDI Router
- Three (3) BlackMagic Designs HDMI to SDI Converters
- One (1) Decimator Design MD-HX HDMI/SDI Cross Converter
- Incoming Signal may be routed from numerous locations around the venue, all via SDI
- May also be used for show content

DPAC does not own cameras, however, cameras and operators may be acquired. Contact Production for more information.



STAGE LEVEL PLAN




DPAC presented by First Horizon | GREAT SHOWS, GOOD TIMES.

123 Vivian Street / William V. "Bill" Bell Way | Durham, North Carolina 27701 | Phone: (919) 688-3722 | DPACnc.com



BASEMENT LEVEL PLAN






SPECIAL EFFECTS POLICIES

- DPAC Production must be made aware of any special effects (such as, but not limited to: haze, low lying fog, confetti, open flame, and pyrotechnics) prior to the start of load in.
- DPAC employs a fire watch team during all events and must make staffing arrangements based on each production's needs.
- Any pyrotechnic effect or open flame must be signed off by the Fire Marshall at a time mutually agreed upon before the start of the performance. This requires a demonstration and issuance of pyrotechnic permit.
- Pyrotechnic effects also require scheduling of a North Carolina Licensed Pyrotechnic Technician to be arranged by the venue.
- Due to the nature and sensitivity of the fire system, **ALL** doors leading to dressing room areas and off of the stage, must be **CLOSED** upon commencement of theatrical special effects.
- A member of the show **MUST** notify a member of the DPAC production staff prior to the first use of effects, as we must be certain that the fire system is in the proper operating mode to allow for such use.






TRUCK AND BUS PARKING

- Buses may park in the bus lane along Mangum Street, this lane is coned off and can accommodate up to four buses.
- The Red Painted Area around the Fire Hydrant must remain clear.
- The Loading Dock is located in the parking deck and is secured with a rollup gate.
- Two (2) trucks may stay in the loading dock at any time. If there are more than two trucks, **arrangements must be made by the touring production for overflow parking**. DPAC does not have control of any of the areas surrounding the venue.



MAP





DIRECTIONS

From the North via I-85 South:

- Exit 174B to US 15-501 South
- Exit 108 to Durham Freeway South (Hwy 147)
- Exit 4-A to Chapel Hill Street
- Left at top of exit ramp onto Chapel Hill Street
- Turn right at third stoplight onto Pettigrew street
- Turn right at second stoplight onto Mangum Street
- Loading dock is located at end of striped unloading lane on right

From the South via 1-85 North:

- Exit 172 onto Durham Freeway / Highway 147 South
- Exit 4-A at Chapel Hill Street
- Left at top of exit ramp onto Chapel Hill Street
- Right at the third stoplight on Pettigrew Street
- Turn right at second stoplight onto Mangum Street
- Loading dock is located at the end of striped unloading lane on right

From the East via I-40 West:

- Exit 279-B to 885N to Durham Downtown
- Exit 9 to 147N Durham Downtown (Exit on Left)
- Exit 3-B at Business 15-501 and Mangum / Roxboro Street
- Turn right at stoplight at end of ramp onto Roxboro Street
- Turn left at first stoplight onto Pettigrew Street
- Turn left at first stoplight onto Mangum Street
- Loading dock is located at the end of striped unloading lane on right

From the West via I-40 East:

- Take I-40 East to Durham
- Continue onto I-85 N
- Exit 172 onto Durham Freeway / Highway 147 South
- Exit 4-A at Chapel Hill Street
- Left at top of exit ramp onto Chapel Hill Street
- Right at the third stoplight on Pettigrew Street
- Turn right at second stoplight onto Mangum Street
- Loading dock is located at the end of striped unloading lane on right



REMARKS

On behalf of the entire DPAC team, we would like to say a quick thank you for your interest in DPAC. Whether you are a prospective client, Production Manager, Tour Manager or Company Manager; our goal in the Production Department is to give you the smoothest day we can in hopes of providing the patrons of DPAC the best experience possible.

Please do not hesitate to reach out. We are here to help in any way possible.

Safe travels on the road; we look forward to seeing you soon!

All the best,



Josh Anderson
Senior Director of Facilities Management & Production
Office (919)281-0589
Fax (919)281-0818
Cell (706)615-2425 (preferred contact number)
janderson@dpacnc.com



Brian L Hunt
Production Manager
Office (919)281-0816
Fax (919)281-0818
Cell (919)332-3677 (preferred contact number)
bhunt@dpacnc.com